

320°F / 160°C: FlameShield™ Kevlar® Braided Aramid Sleeve Premium Grade High Temperature & Heat Resistant High Strength Expandable Sleeve



- Soft and pliable, highly flexible.
- Halogen & asbestos free.
- 20 times stronger than steel.
- Cuts easily to length with scissors. Braid angle allows this sleeve to expand slightly to accommodate irregular surfaces and turns, splices and in-line connectors.
- Available in natural (yellow) color.
- .02" wall thickness.

**320°F / 160°C maximum continuous rating with high insulation value
 & excellent personnel protection
 Short term exposure to 572°F / 300°C**

FlameShield™ High Temperature & Heat Resistant Braided Kevlar® Aramid Sleeve - Premium				
Part Number	Nominal ID	Size Range	Spool Length	
			Bulk / Small	Price per Spool
Bulk Spool / Small Spool				
S-K-M006-04-X	1/4"	1/8" to 5/16"	500 / 50	\$ 291.25 / \$ 42.37
S-K-M013-08-X	1/2"	5/16" to 5/8"	250 / 50	\$ 373.76 / \$ 87.25
S-K-M019-12-X	3/4"	9/16" to 1"	250 / 50	\$ 561.24 / \$ 124.75
S-K-M025-25-X	1"	3/4" to 1 1/8"	200 / 25	\$ 599.21 / \$ 87.37
S-K-M032-20-X	1 1/4"	1" to 1 1/2"	125 / 25	\$ 467.54 / \$ 106.43
S-K-M038-24-X	1 1/2"	1 1/4" to 1 3/4"	100 / 25	\$ 516.75 / \$ 141.70
S-K-M044-28-X	2"	1 1/2" to 2"	100 / 25	\$ 801.37 / \$ 212.75

For the "X" value: use "B" for Bulk Spool size, use "S" for Small Spool size

This Product is NOT Available By-The-Foot – Spools Only

Kevlar Aramid Fiber Shears / Cutters



Kevlar products are difficult to cut due to their strength. Regular or heavy duty scissors can sometimes cut these materials, but often fail quickly as the Kevlar quickly dulls the cutting edge.

Kevlar Shears are specifically designed to cut Kevlar, and feature a serrated blade so that the fibers don't slip while cutting, holding the fiber in position and allowing for a greater shear force to be applied by the opposing blade.

These shears are Extra Heavy Duty, and can be used for other materials such as cutting steel wires and steel tie wraps.

Part Number: C-KEV-104 Price \$ 51.66 each.

Kevlar® is a registered trademark of the DuPont Corporation