

## Ceramic Fiber Braided Rope: Premium & Industrial Grade

### 2300°F / 1260°C: CerMax™ Extreme High Temperature, Heat & Flame Resistant



- A replacement and an alternative to asbestos. Highly flexible and minimal shrinkage.
- Melts above 3000°F / 1648°C.
- Produced from an extremely pure base fiber and can be used at 2300°F / 1260°C continuously with excursions to 3000°F / 1650°C.

CerMax™ Extreme High Temperature +Plus, Heat & Flame Resistant Ceramic Fiber Braided Rope: Premium & Industrial Grade									
Part Number	Size			Spool length		Price per spool		Price per foot	
	inch / mm / -dash			feet / metres		Premium / Industrial		Premium / Industrial	
R-C-B-X-M006-04-Y	.250	6	-04	700	213	\$ 770.83 / \$ 616.66		\$ 1.72 / \$ 1.32	
R-C-B-X-M010-06-Y	.375	10	-06	370	112	\$ 957.88 / \$ 766.31		\$ 4.04 / \$ 3.11	
R-C-B-X-M013-08-Y	.500	13	-08	525	160	\$ 1129.16 / \$ 903.33		\$ 3.35 / \$ 2.58	
R-C-B-X-M016-10-Y	.625	16	-10	350	106	\$ 1146.79 / \$ 917.43		\$ 5.11 / \$ 3.93	
R-C-B-X-M019-12-Y	.750	19	-12	250	76	\$ 1151.71 / \$ 921.37		\$ 7.18 / \$ 5.52	
R-C-B-X-M022-14-Y	.875	22	-14	180	54	\$ 1178.29 / \$ 942.63		\$ 10.21 / \$ 7.85	
R-C-B-X-M025-16-Y	1.000	25	-16	125	38	\$ 1206.06 / \$ 964.85		\$ 15.04 / \$ 11.57	
R-C-B-X-M029-20-Y	1.250	32	-20	100	30	\$ 1224.01 / \$ 979.21		\$ 19.08 / \$ 14.68	
R-C-B-X-M032-24-Y	1.500	38	-24	75	22	\$ 1232.64 / \$ 986.11		\$ 25.64 / \$ 19.72	
R-C-B-X-M051-32-Y	2.000	51	-32	48	14	\$ 1243.23 / \$ 994.58		\$ 40.40 / \$ 31.08	

For the "X" value in the part number: use "P" to specify Premium grade  
use "I" to specify Industrial grade

For the "Y" value in the part number: use "SP" to specify full spool  
use "FT" to specify By-The-Foot

**Minimum Order for this product is \$50.00 for By-The-Foot Lengths**